



DO
10
GODINA
STAROSTI VOZILA

**TOYOTA
RELAX
JAMSTVO***

*PROVJERITE UVJETE JAMSTVA

TOYOTA PROACE



TEHNIČKE KARAKTERISTIKE

Vrijedi od : 22. 5. 2026

BOJE - PROACE



BIJELA ICE WHITE (EPR)
SOLID



SREBRNA GREY CLOUD (KCA)
METALIK



SIVA MAJESTIC GREY (KKJ)
METALIK



CRNA ABSOLUTE BLACK (KTV)
METALIK

INTERIJER - PROACE



Presvlake sjedala – tamno siva (BASE)



Presvlake sjedala – tamno siva (COMFORT)

NAPLATCI - PROACE



16" Čelični naplatci s pokrovima
kotača
Dimenzija guma - 225/55 r17




TEHNIČKE KARAKTERISTIKE - PROACE

			1.5L Diesel 6MT Van	2.2 Diesel 6MT Van	2.2 Diesel 8AT
Motor	Broj cilindara, raspored		4 cilindra, redni	4 cilindra, redni	4 cilindra, redni
	Obujam	Cm ³	1499	2184	2184
	Maksimalna snaga	Kw/KS	88/120	110/150	132/180
Prijenos	Vrsta pogona		Prednji	Prednji	Prednji
	Tip mjenjača		Ručni / 6 brzina	Ručni / 6 brzina	Automatik
Performanse	Maksimalna brzina	km/h	160	185	185
Emisije	Euro Norma		EURO 6 EB	EURO 6 EB	EURO 6 EB
	CO2 Emisije – Kombinirano	g/km	171 - 174	168 - 178	175 - 180
	Potrošnja goriva komb.	l/100km	6,5 - 6,6	6,4 - 6,8	6,6-6,9
Kočnice	Kočnice prednje		Ventilirajući tvrdi diskovi	Ventilirajući tvrdi diskovi	Ventilirajući tvrdi diskovi
	Kočnice stražnje		-	Tvrdi Disk	Tvrdi Disk
Upravljanje	Promjer okretanja (između pločnika)	m	12.4	12.4	12.4
	Promjer okretanja (između zida)	m	12.9	12.9	12.9

*Payload is calculated as Gross vehicle weight minus Weight In running order max

			MEDIUM	LONG
Vanjske dimenzije	Ukupna dužina	mm	4981	5331
	Širina vozila bez retrovizor/ s retrovizorima	mm	1924 / 2204	1924/2204
	Ukupna visina	mm	1955	1955
	Međuosovinski razmak	mm	3275	3275
Teretni prostor	Udaljenost od tla	mm	150	150
	Unutarnja dužina teretnog prostora	mm	2512/1587*	2862/1937*
	Unutarnja širina teretnog prostora	mm	1636	1636
	Unutarnja visina teretnog prostora	mm	1397/1337*	1397/1339*
	Obujam teretnog prostora	Cm ³	5,3-5-8 / 3,2*	6,1 – 6.6 / 4*
	Duljina tereta na srednjoj visini	mm	2185	2535
	Širina teretnog prostora između lukova kotača	mm	1258	1258
	Broj euro paleta	kom	3	3
	Min. visina utovarnog praga	mm	544	633
	Maks. visina utovarnog praga	mm	613	633
	Maks. širina otvora	mm	1282	1282
	Visina otvaranja stražnjih vrata	mm	1220	1220
	Maks. širina otvora	mm	935	935
	Visina otvora bočnih kliznih vrata	mm	1241	1241
	1 Od pregradnog zida do luka kotača bez Smart Cargo sustava	mm	1420	1420
	2 Od donjeg dijela armaturne ploče do luka kotača sa Smart Cargo sustavom	mm	2600	2600
	3 Od luka kotača do zatvorenih vrata / zatvorenog poklopca prtljažnika	mm	300	650
	4 Od pregradnog zida do zatvorenih vrata	mm	2430	2780
	5 Od donje strane armaturne ploče sa Smart Cargo sustavom do zatvorenih vrata	mm	3600	3950
6 Od pregradnog zida do zatvorenih vrata mjereno na polovici visine	mm	2210	2560	

*Crew cab



Hinged rear doors	Dimensions (mm)
Max width doors open	1282
Max height doors open	1220

Sliding side door	Dimensions (mm)	
	L2	L3
Maximum width of the entrance	935	935

			1.5L Diesel 6MT Van	2.2 Diesel 6MT Van	2.2 Diesel 8AT Van	2.2 Diesel 6MT Crew Cab	2.2 Diesel 6MT Van	2.2 Diesel 8AT Van	2.2 Diesel 6MT Crew Cab
			MEDIUM				LONG		
Masa	Najveća tehnički dopuštena ukupna masa	kg	2656 - 2830	2780 - 3100	2780 - 3100	2810 - 3100	3100	3100	3100
	Najveća dozvoljena masa prikolice bez /s kočnicama	kg	750/2000	750/2300 - 2500	750/2300-2500	759/2300	750/2500	750/2500	750/2500
	Vertikalno opterećenje na kuku	kg	80	92-100	92-100	92	100	100	100
	Masa vozila u voznom stanju min/max*	kg	1731/1937	1849/2060	1879/2085	1930/2106	1881/2106	1879/2085	1894/2112
Nosivost	Nosivost min/max*	kg	727/893	720/1040	725-1015	744	994	988	959

*Masa i nosivost su podložni promjenama